



**PRODUCT GROUP # 15 PEX-READY™ VALVES, TOOLS & ACCESSORIES**

**Pex-Ready™ - valves**



<b>Pex-Ready™ FULL PORT BALL VALVES w/WASTE (BC)</b>		MIN.	MASTER
1449050	1/2" FULL PORT BALL VALVE W/ WASTE PEX X PEX	10	100
1440075	3/4" FULL PORT BALL VALVE W/ WASTE PEX X PEX	10	100
1449009	1" FULL PORT BALL VALVE W/ WASTE PEX X PEX	10	80



<b>Pex-Ready™ FULL PORT BALL VALVES (BC)</b>		MIN.	MASTER
1449004	1/2" FULL PORT BALL VALVE PEX X PEX	10	100
1449006	3/4" FULL PORT BALL VALVE PEX X PEX	10	100
1449008	1" FULL PORT BALL VALVE PEX X PEX	10	80



<b>Pex-Ready™ FULL PORT BALL SWEAT X PEX</b>		MIN.	MASTER
1449005	1/2" PEX X 1/2" SWEAT BALL VALVE W/LEVER HANLE	10	100
1449007	3/4" PEX X 3/4" SWEAT BALL VALVE W/LEVER HANDLE	10	100
1449010	1" PEX X 1" SWEAT BALL VALVE W/LEVER HANDLE	10	100

NOTE : BALL VALVES MANUFACTURED WITH BLOWOUT PROOF STEMS.



<b>Pex-Ready™ FULL PORT BALL SWEAT X PEX W/WASTE</b>		MIN.	MASTER
* 1504912	1/2" PEX X 1/2" SWEAT BALL VALVE W/WASTE & LEVER HANDLE	10	100



<b>Pex-Ready™ FULL PORT BALL SWEAT X PEX w/T-HANDLE</b>		MIN.	MASTER
* 1540008	1/2" SWEAT X 1/2" PEX BALL VALVE 'T' HANDLE	20	160
* 1540010	3/4" SWEAT X 3/4" PEX BALL VALVE 'T' HANDLE	12	96
* 1540012	1" SWEAT X 1" PEX BALL VALVE 'T' HANDLE	10	80

\*CAUTION: Solder with BALL VALVE in OPEN POSTION

1. CLEAN END OF COPPER TUBING WITH SAND PAPER OR STEEL WOOL.
2. APPLY SOLDER FLUX AND SOLDER.

WARNING : TO AVOID DAMAGE, VALVE SHOULD BE IN OPEN POSITION. APPLY HEAT TO CUP INLET AREA OF VALVE, NOT TO CENTER OF VALVE. DO NOT OVERHEAT.



<b>Pex-Ready™ VALVES HOSE THREAD</b>		MIN.	MASTER
1400248	SILLCOCK 1/2" PEX X 3/4" HOSE THREAD w/FLANGE w/UPC	10	100
1440144	1/2" PEX X 3/4" MALE HOSE BOILER DRAIN	10	100



<b>Pex-Ready™ STOP &amp; WASTE</b>		MIN.	MASTER
1440244	1/2" STOP & WASTE PEX X PEX	10	100
1440245	3/4" STOP & WASTE PEX X PEX	10	100



<b>Pex-Ready™ STOPS</b>		MIN.	MASTER
1440246	1/2" STOP VALVE PEX X PEX	10	100
1440247	3/4" STOP VALVE PEX X PEX	10	100



<b>Pex-Ready™ COMPRESSION BRASS VALVES</b>		MIN.	MASTER
FOR USE WITH PEX, COPPER, CPVC and PB			
1378871	1/2" PEX COMPRESSION STOP & WASTE		25
1378881	1/2" PEX COMPRESSION X MALE 3/4" HOSE THREAD BOILER DRAIN		25



<b>Pex-Ready™ NON-FREEZE WALL HYDRANTS</b>		MIN.	MASTER
1481009	8" CP WALL HYDRANT 1/2" PEX WITH VACUUM BREAKER	1	24
1481010	10" CP WALL HYDRANT 1/2" PEX WITH VACUUM BREAKER	1	24
1481012	12" CP WALL HYDRANT 1/2" PEX WITH VACUUM BREAKER	1	24

**WALL HYDRANT SHOULD BE INSTALLED AT SUFFICIENT ANGLE TO DRAIN PROPERLY WHEN FASTENED TO THE WALL.**




**PRODUCT GROUP # 15 PEX VALVES,SUPPLIES, TOOLS & ACCESSORIES**

**FLEX-CONNECT™ FINISHING KITS**

MIN. MASTER




1596622	PEX READY TOILET SUPPLY KIT STRA. VAL. & SS HOSE	10
<p><u>VALVE KITS INCLUDES:</u>                  ONE - 12"SS TOILET CONN 3/8 COM X 7/8 BALLCOCK                  ONE - 1/2"PEX X 3/8" OD COMP STRAIGHT STOP BALL VALVE                  ONE - CHROME ESCUTCHEON                  PAIR - 2-1/4"BRASS WC BOLT/NUT/WSH.(PR)                  ONE - PEX CRIMP RING</p>		



1596633	PEX READY TOILET SET - ANGLE STOP & SS HOSE	10
<p><u>VALVE KITS INCLUDES:</u>                  ONE - 12"SS TOILET CONN 3/8 COM X 7/8 BALLCOCK                  ONE - 1/2"PEX X 3/8" OD COMP ANGLE STOP BALL VALVE                  PAIR - 2-1/4" BRASS CLOSET BOLTS/NUT/WASHER                  ONE - CHROME ESCUTCHEON                  ONE - 3/4" STANDARD TOILET GSKT                  ONE - PEX CRIMP RING</p>		



1596644	PEX READY TOILET KIT W/ 3/4" GASKET & SS HOSE	10
<p><u>VALVE KITS INCLUDES:</u>                  ONE - 12"SS TOILET CONN 3/8 COM X 7/8 BALLCOCK                  ONE - 1/2"PEX X 3/8" OD COMP. STRAIGHT STOP BALL VALVE                  PAIR - 2-1/4" BRASS CLOSET BOLTS/NUT/WASHER                  ONE - CHROME ESCUTCHEON                  ONE - 3/4" STANDARD TOILET GSKT                  ONE - PEX CRIMP RING</p>		



1596655	PEX READY TOILET KIT W/ 1" GASKET & SS HOSE	10
<p><u>VALVE KITS INCLUDES:</u>                  ONE - 12"SS TOILET CONN 3/8 COM X 7/8 BALLCOCK                  ONE - 1/2"PEX X 3/8" OD COMP. STRAIGHT STOP BALL VALVE                  PAIR - 3" BRASS CLOSET BOLTS/NUT/WASHER                  ONE - CHROME ESCUTCHEON                  ONE - 1" STANDARD TOILET GSKT                  ONE - PEX CRIMP RING</p>		



1596677	PEX READY TOILET SUPPLY KIT - STRAIGHT STOP & SS HOSE	10
<p><u>TOILET VALVE KITS INCLUDES:</u>                  ONE - 12"SS TOILET CONN 3/8 COM X 7/8 BALLCOCK                  ONE - 1/2"PEX X 3/8" OD COMP. STRAIGHT STOP BALL VALVE                  PAIR - 2-1/4" BRASS CLOSET BOLTS/NUT/WASHER                  ONE - CHROME ESCUTCHEON                  ONE - TOILET BOWL WAX SEAL W/SLEEVE                  ONE - PEX CRIMP RING</p>		

**LAV KITS**



1596688	PEX FAUCET INSTALL SET - STRAIGHT STOP & 16" SS HOSE	10
<p><u>FAUCET VALVE KITS INCLUDES:</u>                  TWO - 16" SS CONN 3/8 COM X 1/2" FAUCET                  TWO - 1/2"PEX X 3/8" OD COMP STRAIGHT STOP BALL VALVE                  TWO - CHROME ESCUTCHEONS                  TWO - PEX CRIMP RINGS</p>		



1596690	PEX FAUCET SET -ANGLE STOP & 16" SS HOSE	10
<p><u>FAUCET VALVE KITS INCLUDES:</u>                  TWO - 16" SS CONN 3/8 COM X 1/2" FAUCET                  TWO - 1/2"PEX X 3/8" OD COMP ANGLE STOP BALL VALVE                  TWO - CHROME ESCUTCHEONS                  TWO - PEX CRIMP RINGS</p>		



## PRODUCT GROUP # 15 PEX VALVES, TOOLS & ACCESSORIES

# Pex-Ready™ -VALVES



### Pex-Ready™ 1/4 TURN STOP VALVES

		MIN.	MASTER
1448446	1/2" PEX X 1/4" OD COMP. CP STRAIGHT STOP BALL VALVE BG	24	144
1448443	1/2" PEX X 3/8" OD COMP. CP STRAIGHT STOP BALL VALVE BG	24	144
1448541	1/2" PEX X 1/2" PEX CP STRAIGHT STOP BALL VALVE BG	24	144



1448543	1/2" PEX X 3/8" OD COMP. CP ANGLE STOP BALL VALVE BG	24	144
1448540	1/2" PEX X 1/2" PEX CP ANGLE STOP BALL VALVE BG	24	144



### Pex-Ready™ 1/4 COMPRESSION TURN STOP VALVES

		MIN.	MASTER
FOR USE WITH PEX, COPPER, CPVC and PB			
1378641	1/2" CTS X 3/8" OD COMP. CP ANGLE BALL VALVE P&T		25
1378651	1/2" CTS X 3/8" OD COMP. CP STRAIGHT BALL VALVE P&T		25



### Pex-Ready™ 1/4 TURN STOP VALVES -TEE COMBINATION

		MIN.	MASTER
1405040	HUMIDIFIER / ICE MAKER 1/2" PEX TEE X 1/4" OD COMP CP VALVE	10	100
1507566	HUMIDIFIER / ICE MAKER 3/4" PEX TEE X 1/4" OD COMP CP VALVE	10	100
1405042	DISH WASHER CP VALVE 1/2" PEX TEE X 3/8" OD COMP	10	100
1405046	DISH WASHER CP VALVE 3/4" PEX TEE X 3/8" OD COMP	10	100



### Pex-Ready™ ROUGH BRASS POU VALVES

		MIN.	MASTER
1405038	ICE MAKER VALVE 1/2" PEX X 1/4" OD COMP (RB)	24	300

# Pro-Stop™ -VALVES

### Pro-Stop™ SPECIALTY VALVES

		MIN.	MASTER
1288130	1/2" INLINE COMP TEE-BV X 1/4" OD COMP. BG	10	100
1288132	1/2" INLINE COMP. TEE-BV 3/8" COM BG.	10	100
1666006	TWIN BRASS SHUTOFF BALL VALVE FOR 2 GARDENHOSES (RB)	8	32



### Pro-Stop™ CHROME PLATED BRASS 1/4 TURN SUPPLY STOPS

		MIN.	MASTER
1291642	1/2" CTS COMP. X 3/8" OD ANG. STOP CP	10	100
1291652	1/2" CTS COMP. X 3/8" OD STRA. STOP CP	10	100



PEX-READY STOPS • FORGED BRASS BODY WITH BLOWOUT PROOF STEMS  
 1/4 TURN • POSITIVE STOP • FULL CSA FLOW CHROME PLATED FINISH  
 2 O-RINGS • TELFON™, VITON SEALS™

\*TEFLON and VITON are registered trade marks of E.I. Dupont De nemours

### DISHWASHER / ICEMAKER KITS



1403856	DISHWASHER INSTALLATION HOOK-UP FOR PEX PIPE	10
DISHWASHER KITS INCLUDES:		
ONE - 3/8" FSW X 1/2" PEX CONNECTOR W/ BRASS DW ELBOW		
ONE - 1/2" PEX X 1/2" PEX STRAIGHT BALL VALVE		
THREE - PEX CRIMP RINGS		



## PRODUCT GROUP # 15 PEX VALVES, TOOLS & ACCESSORIES



### PEX TOILET SUPPLIES

MIN. MASTER

1472312	12" PEX TOILET SUPPLY (3/8" OD)	50
1472315	15" PEX TOILET SUPPLY (3/8" OD)	50

### PEX BASIN SUPPLIES

MIN. MASTER

1473312	12" PEX BASIN SUPPLY (3/8" OD)	50
1473315	15" PEX BASIN SUPPLY (3/8" OD)	50
1473320	20" PEX BASIN SUPPLY (3/8" OD)	50
1473330	30" PEX BASIN SUPPLY (3/8" OD)	50
1473336	36" PEX BASIN SUPPLY (3/8" OD)	50



### ESCUTCHEONS

MIN. MASTER

1400920	WHITE PLASTIC FLANGE FOR 1/2" NOMINAL COPPER	100	1000
1400919	WHITE PLASTIC FLANGE FOR 3/4" NOMINAL COPPER	100	1000
1400921	CP PLASTIC SPLIT FLANGE FOR 1/2" NOMINAL COPPER	100	1000
1400922	CP PLASTIC SPLIT FLANGE FOR 3/4" NOMINAL COPPER	100	1000
1388681	CHROME METAL FLANGE FOR 1/2" NOMINAL COPPER	100	1000



### COPPER CLAD STUBOUT BRACKETS

MIN. MASTER

1481000	3/4" X 20" STUD BRACKET 16 GAUGE COPPER CLAD STEEL FOR 1/2" CTS ON 2" CENTRES	10	100
---------	--	----	-----



### TUBE TALONS

MIN. MASTER

1598103	1/2" CTS J CLAMP W/NAIL CONTRACTOR PACK (100)	400	4800
1598104	3/4" CTS J CLAMP W/NAIL CONTRACTOR PACK (100)	400	4000
1498105	1" J CLAMP W/NAIL CONTRACTOR PACK (50)	400	4000



### BEND SUPPORT

MIN. MASTER

1502720	SUPPORT BEND PLASTIC w/ NAIL TAB for 1/2" PIPE	20	100
1502721	SUPPORT BEND PLASTIC w/ NAIL TAB for 3/4" PIPE	20	100



1502724	SUPPORT BEND METAL for 1/2" PIPE	20	100
1502725	SUPPORT BEND METAL for 3/4" PIPE	20	100
1502728	SUPPORT BEND METAL for 1/2" PIPE W/NAIL FLANGE	20	100



### CABLE TIES

MIN. MASTER

1650008	8" BLACK CABLE TIE	100	5000
1651450	14" BLACK CABLE TIE	100	5000



### METAL STUD GROMMETS

MIN. MASTER

1590050	1/2" PEX PIPE STUD GROMMET	50	500
1590075	3/4" PEX PIPE STUD GROMMET	50	500



## PRODUCT GROUP # 15 CRIMP TOOLS & ACCESSORIES

# Pex-Tools



### SOFT-TOUCH™ 2 CAVITY CRIMP TOOL

MIN. MASTER

1488021	PEX 2 CAVITY CRIMP TOOL 1/2" & 3/4" (OAL16")	1
<p>FEATURES &amp; BENEFITS:          Medium length handle tool reduces user fatigue.          2 cavity design eliminates need for 2 tools.          This tool design promotes productivity. Tools are supplied with GO/NO-GO Gauge.</p>		

### SOFT-TOUCH™ CRIMP TOOL (LONG HANDLE)

MIN. MASTER

1529202	1/2" SOFT TOUCH CRIMP TOOL (OAL15")	1
1529203	3/4" SOFT TOUCH CRIMP TOOL (OAL15")	1
<p>FEATURES &amp; BENEFITS:          Fits between joists. High mechanical advantage in a compact design.          Tools are supplied with GO/NO-GO Gauge.          Crimps conform to ASTM specifications.</p>		

### SOFT-TOUCH™ COMPACT CRIMP TOOL (SHORT HANDLE)

MIN. MASTER

1449202	PEX SINGLE CAVITY COMPACT CRIMP TOOL 1/2"(OAL12")	1
1449203	PEX SINGLE CAVITY COMPACT CRIMP TOOL 3/4"(OAL12")	1
1409204	1" PEX SINGLE CAVITY CRIMP TOOL	1
<p>FEATURES &amp; BENEFITS:          Compact design ideal for crimps on manifolds or difficult access areas.          Fits between joists. High mechanical advantage in a compact design.          Tools are supplied with GO/NO-GO Gauge.          Crimps conform to ASTM specifications.</p>		

### CRIMPMAKER™ TOOL COMPACT CRIMP TOOL

MIN. MASTER

1488103	1/2" PEX CRIMPMAKER™ COMPACT CRIMP TOOL	1
1488004	3/4" PEX CRIMPMAKER™ COMPACT CRIMP TOOL	1
1488005	1" PEX CRIMPMAKER™ COMPACT CRIMP TOOL	1
1488000	PEX CRIMPMAKER™ REPLACEMENT PIN & CLIP for 1/2" TOOL	1
1488001	PEX CRIMPMAKER™ REPLACEMENT PIN & CLIP for 3/4" TOOL	1
<p>FEATURES &amp; BENEFITS:          Angle design for overhead work. Fits between joists.          Will allow for one handed crimp. Tools are supplied with GO/NO-GO Gauge.</p>		

### SOFT-TOUCH™ CRIMP TOOL

MIN. MASTER

1529302	1/2" CRIMPTOOL W/COMPOSITE HANDLE (OAL13.5")	1
1529303	3/4" CRIMPTOOL W/COMPOSITE HANDLE (OAL13.5")	1

### SOFT-TOUCH™ CRIMP TOOL FOR CONFINED SPACES

MIN. MASTER

1509202	1/2" RIGHT-ON CRIMPTOOL	1
1509203	3/4" RIGHT-ON CRIMP TOOL	1



**ATTENTION**  
 Only use tools designed for Pex. Do not use Kitec tools on Pex !



**PRODUCT GROUP # 15 PEX CRIMP TOOLS & ACCESSORIES**

# **Pex-Tools**



**OTHER CRIMP TOOLS**

MIN. MASTER

1488300	GO/NO GO GAUGE	1
<p>FEATURES &amp; BENEFITS: Each Crimp connection should be checked with a 'Go/No Go' gauge to ensure proper installation.</p>		

CAUTION: Avoid using damaged fittings

## **RingSplitter**

**RINGSPLITTER™ CRIMP RING REMOVAL TOOL**

MIN. MASTER

1590099	CRIMP RING REMOVAL TOOL for 1/2" to 1" RINGS	1
<p>FEATURES &amp; BENEFITS: Designed for fitting recovery without damaging the fitting.</p>		



**PEX TUBING CUTTER**

MIN. MASTER

1378701	HEAVY DUTY PLASTIC TUBING CUTTER W/ STAINLESS STEEL BLADE	1
---------	---	---

## **Surlok™ Pinch Clamps**

**SURLOK™ PINCH CLAMPS TOOL**

MIN. MASTER

1505075	HEAVY DUTY PINCH CLAMP TOOL	1	20
<p>FEATURES &amp; BENEFITS: Works on 3/8", 1/2", 3/4" and 1" Pinch Clamps. Ratchet design ensures complete crimp.</p>			



1505077	SURLOK™ PINCH CLAMP TOOL BLISTER PK	5	20
1598888	SURLOK™ PINCH CLAMP TOOL & RING STARTER SET BLISTER PK - TOOL, 20 - 1/2" AND 10 - 3/4" PINCH CLAMPS	5	20



**“NEW BLISTER CARD PACKAGING”**



**ATTENTION**  
Most leaking joints are the result of poor crimps, so...  
**GAUGE EVERY CRIMP !**